

# RAINWATER

## Commercial Rainwater System

- 200mm half round profile/160mm pipe and fittings
- High flow rate
- Extra fixing points
- Due to greater flow capacity, ideal for larger industrial and commercial buildings

\* To indicate the product colour(s) required, the following code suffixes should be used: BL - Black, G - Grey

*Recommended for large commercial and industrial applications. Commercial offers a large capacity rainwater system with high flow rates. 160mm downpipe ensures efficient rainwater drainage from even the largest of roof areas. Extra fixing points are provided to withstand heavy snow loading and wind updrafts likely on remote and exposed buildings. Available in black and grey.*

	Description	Spec.	Pack Qty	Price
	Gutter	4m	4	
	Angle	90°	5	
	Stopend	Internal/External Stopend	20	
	Fascia Bracket		30	
	Running Outlet		4	
	Union Bracket		20	

# RAINWATER

## Commercial Rainwater System



Description

Spec.

Pack Qty

Price



160-110  
Reducer

12

### NEED A STOPEND OUTLET?

1. Cut external stop end
2. Place into running outlet



# ABOVE GROUND

## 160mm Pushfit Soil

\* To indicate the product colour(s) required, the following code suffixes should be used: BL - Black, G - Grey

	Description	Spec.	Pack Qty	Price
	160mm Single Socket Pipe	3m	39	
	160mm Single Socket Pipe	4m	39	
	160mm Soil Pipe Coupler		18	
	160mm Double Socket	92.5° Bend	5	
	160mm Double Socket	135° Bend	12	
	160mm Single Socket	92.5° Bend	5	
	160mm Single Socket	135° Bend	12	

# ABOVE GROUND

## 160mm Pushfit Soil



	Description	Spec.	Pack Qty	Price
	160mm Triple Socket Tee	92.5°	5	
	160mm Triple Socket Tee	135° Branch	5	
	160mm Double Socket Tee	92.5°	5	
	160mm Double Socket Tee	135° Branch	5	
	Triple Socket Reducer Tee (160-110)	92.5°	5	
	Triple Socket Reducer Tee (160-110)	135° Branch	5	

# ABOVE GROUND

## 160mm Pushfit Soil

\* To indicate the product colour(s) required, the following code suffixes should be used: BL - Black, G - Grey

	Description	Spec.	Pack Qty	Price
	Double Socket Reducer Tee (160-110)	92.5°	5	
	Double Socket Reducer Tee (160-110)	135° Branch	5	
	160-110 Reducer		12	
	160mm Socket Plug		12	
	Access Plug		32	
	Pipe Clip		100	
	1 Litre Soluble Lubricant		24	
	2.5 Litre Soluble Lubricant		4	
	5 Litre Soluble Lubricant		1	

# ABOVE GROUND

## 110mm Pushfit Soil System

- 110mm Ring Seal Waste System
- Strong, durable, light weight robust product
- Available in Black, Grey and White

\* To indicate the product colour(s) required, the following code suffixes should be used: BL - Black, G - Grey, W - White

	Description	Spec.	Pack Qty	Price
	Plain Ended Pipe	3m	80	
	Plain Ended Pipe	4m	80	
	Single Socket Pipe	3m	80	
	Single Socket Pipe	4m	80	
	Coupler	Double	50	
	Coupler	Single Socket	50	
	Coupler	Slip	50	
	Double Socket	90° Knuckle	25	
	Double Socket	92.5° Bend	20	
	Double Socket	135° Bend	35	
	Single Socket	90° Knuckle	25	
	Single Socket	92.5° Bend	20	

# ABOVE GROUND

## 110mm Pushfit Soil System



	Description	Spec.	Pack Qty	Price
	Single Socket	135° Bend	35	
	Triple Socket	92.5° Branch	14	
	Triple Socket	135° Branch	14	
	Double Tee	92.5° Double Branch	10	
	Double Socket	92.5° Branch	14	
	Double Socket	135° Branch	14	
	Soil Single Socket Adjustable Bend	0 - 45°	25	
	Soil Double Socket Adjustable Bend	0 - 90°	16	
	Pipe Bracket		100	

# ABOVE GROUND

## 110mm Pushfit Soil System

- 110mm Ring Seal Waste System
- Strong, durable, light weight robust product
- Available in Black, Grey and White

\* To indicate the product colour(s) required, the following code suffixes should be used: BL - Black, G - Grey, W - White

	Description	Spec.	Pack Qty	Price
	Double Socket Access Pipe		20	
	Double Socket Access Bend	92.5°	20	
	Triple Socket Access Branch	92.5°	14	
	Access Plug		32	
	Strap on Boss	63mm Open Boss use WA1.25, WA1.5 WA2 to reduce	100	
	Three Way Short Boss Pipe	1x63mm Open Boss 2x63mm Closed Bosses use WA1.25, WA1.5	36	
	Mushroom Vent Cowl		20	
	Vent Cowl		50	
	Socket Plug		50	

# ABOVE GROUND

## 110mm Pushfit Soil System



	Description	Spec.	Pack Qty	Price
	Weathering Collar		100	
	32mm Rubber Waste Adaptor	32mm	250	
	40mm Rubber Waste Adaptor	40mm	250	
	50mm Rubber Waste Adaptor	50mm	250	
	32mm Waste Adaptor	32mm	35	
	32-32mm Waste Adaptor	32 - 32mm	20	
	32-40mm Waste Adaptor	32 - 40mm	20	
	40mm Waste Adaptor	40mm	35	
	40-40mm Waste Adaptor	40 - 40mm	20	

All UGW Waste Adaptors are available in Terracotta, Black, Grey and White.

# ABOVE GROUND

## 110mm Pushfit Soil System

- 110mm Ring Seal Waste System
- Strong, durable, light weight robust product
- Available in Black, Grey and White

\* To indicate the product colour(s) required, the following code suffixes should be used: BL - Black, G - Grey, W - White

	Description	Spec.	Pack Qty	Price
	Pushfit Air Admittance Valve	Internal Use Only	15	
	Soil Waste Manifold	50mm	10	
	Residential Angled Flashing/Slate		1	
	1 Litre Soluble Lubricant		24	
	2.5 Litre Soluble Lubricant		4	
	5 Litre Soluble Lubricant		1	
	Straight Pan Connector		50	
	Bent Pan Connector		20	
	Offset Pan Connector		50	
	Extension Pan Connector		35	
	Swan Neck Pan Connector		20	
	Flexi Pan Connector		15	