



FLOOR DRAINAGE

ENDURANCE YOU CAN **TRUST**


Multikwik floor drainage solutions give you the support that you need to succeed on a tough job.

There is a solution for commercial high flow rate applications, domestic unobtrusive shower drainage, tiled and vinyl flooring.

Trust Multikwik to give you a choice of floor drainage applications.

Multikwik Linum linear drainage

Linum offers a high specification linear channel, ideal for wet rooms and shower applications. Available in 3 lengths with an integrated trap, the base unit is compact in width to allow for close to wall installation. The Linum range includes a wide range of high specification covers and grids and can achieve a flow rate of 0.8 l/s.



One side of the channel provides a smooth finish. Turn the channel over 180° to obtain a 'fill-in' frame – 2 design options from 1 product.



The perfect finish

Thanks to the innovative design, Linum allows for a perfect finish to be achieved with tiles, marble or other types of non-flexible floor covering. The reversible cover system allows for a smooth top finish or a 'fill-in' finish using the same materials (i.e. tiles) as for the rest of the floor, achieving an unobtrusive effect. The soft grid range is supplied with spacer pins to allow water to drain away.

A wide choice of styles

Choose from the stainless steel grids or the eye catching glass covers in soft white and kohl black.

Multikwik Trapped Shower Gullies

Multikwik has developed a range of compact and adaptable trapped shower gullies for vinyl sheeting and tiled floors that are quick and easy to fit, really versatile, with high performance and great looks when installed. Ideal for care homes, hospitals, leisure facilities, apartment blocks, hotels or private housing.

Versatile

The range offers various options to meet installation needs, with horizontal and vertical outlets, 50mm or 75mm water seal depth, as well as a 50mm to 40mm size adaptor and different height options for the vertical shower gully.

Flow rates

The shower gullies are ideal for commercial applications or domestic power showers with flow rates of up to 1.05 l/s.

Aesthetics

Different grate options are available for both the tiled and vinyl shower gullies, matching any bathroom style.

The dual grate for tiled flooring can also be flipped 180° and filled in with tiles for a truly unobtrusive result.



PROBLEM SOLVED

Vertical shower gully with stainless steel or ABS anti-slip

SG50SW | SG50WV

- Unique locking ring feature prevents unintended access, but allows easy access for maintenance
- Stainless steel or ABS anti-slip lid
- Compact size – saving valuable room when space is at a premium




PROBLEM SOLVED

Linum channel shower drainage with decorative floor grate

Shower body and grate available in various sizes and designs

- Compact, close to wall installation with adjustable overall height and frame height
- Unobtrusive design
- High flow rates




PROBLEM SOLVED

Horizontal shower gully body with dual grate & riser set

SG50HT plus SG1T


- Mix and match: find suitable shower gully body to match grate design of choice
- Dual grate: Two-in-one by flipping 180° with a choice of smooth stainless steel or tiled fill-in-finish
- Riser can be cut in height to suit different tile and floor thicknesses.



FLOOR DRAINAGE / LINNUM FLOOR DRAINAGE

SHOWER
DRAIN BODY

L13560 | L13570 | L13590




■ Min. height: 115mm; Max. height: 131mm

PRODUCT CODE	L13560	L13570	L13590
SIZE (mm)	650	750	950
COLOUR	Stainless Steel	Stainless Steel	Stainless Steel
WATER SEAL DEPTH (mm)	50	50	50
FLOOR TYPE	Tiled	Tiled	Tiled
WEIGHT (KG)	1.89	2.19	2.77
DIMENSIONS (mm) A x B x C x D	95 x 50 x 71 x 95.5	95 x 50 x 71 x 95.5	95 x 50 x 71 x 95.5

GLASS
FLOOR GRATE


L13563 | L13564



PRODUCT CODE	L13564	L13563
SIZE (mm)	650 x 50	650 x 50
COLOUR	White	Black
FLOOR TYPE	Tiled	Tiled
WEIGHT (KG)	0.53	0.53

SOFT
FLOOR GRATE



L13565 | L13575 | L13595



PRODUCT CODE	L13565	L13575	L13595
SIZE (mm)	650 x 50	750 x 50	950 x 50
COLOUR	Stainless Steel	Stainless Steel	Stainless Steel
FLOOR TYPE	Tiled	Tiled	Tiled
WEIGHT (KG)	0.52	0.61	0.76

ELEGANCE
FLOOR GRATE



L13566 | L13576 | L13596



PRODUCT CODE	L13566	L13576	L13596
SIZE (mm)	650 x 50	750 x 50	950 x 50
COLOUR	Stainless Steel	Stainless Steel	Stainless Steel
FLOOR TYPE	Tiled	Tiled	Tiled
WEIGHT (KG)	0.51	0.60	0.75

SQUARE
FLOOR GRATE



L13567 | L13577 | L13597



PRODUCT CODE	L13567	L13577	L13597
SIZE (mm)	650 x 50	750 x 50	950 x 50
COLOUR	Stainless Steel	Stainless Steel	Stainless Steel
FLOOR TYPE	Tiled	Tiled	Tiled
WEIGHT (KG)	0.51	0.60	0.75

BUBBLE
FLOOR GRATE

L13569 | L13579 | L13599




PRODUCT CODE	L13569	L13579	L13599
SIZE (mm)	650 x 50	750 x 50	950 x 50
COLOUR	Stainless Steel	Stainless Steel	Stainless Steel
FLOOR TYPE	Tiled	Tiled	Tiled
WEIGHT (KG)	0.51	0.60	0.75

FLOOR DRAINAGE / LINNUM DRAINAGE

CHANNEL SUPPORT SET – SPARE

TRL426



- Single

PRODUCT CODE	TRL426
COLOUR	Red
FLOOR TYPE	Tiled

SHOWER GRID FRAME – SPARE

TRL428 | TRL429 | TRL430



- Stainless steel

PRODUCT CODE	TRL428	TRL429	TRL430
SIZE (mm)	650	750	950
COLOUR	Stainless Steel	Stainless Steel	Stainless Steel
FLOOR TYPE	Tiled	Tiled	Tiled

SHOWER CLAMPING FRAME – SPARE

TRL434 | TRL435 | TRL436




- Plastic
- For use with floor thickness spacer (TRL 478)

PRODUCT CODE	TRL434	TRL435	TRL436
SIZE (mm)	650	750	950
COLOUR	Stainless Steel	Stainless Steel	Stainless Steel
FLOOR TYPE	Tiled	Tiled	Tiled

FLOOR THICKNESS SPACER SET – SPARE

TRL478




- For use with Linnum shower clamping
- Pack of 12
- Accommodates three different heights

PRODUCT CODE	TRL478
COLOUR	Red
FLOOR TYPE	Tiled

REASONS TO TRUST MULTIKWIK

Adjustable feet

- Rotatable legs – allows close to wall installation. Moves drainage point to the back of the wall
- Precise height setting by hand adjustment
- Secure installation through clip, for fixing leg height



Compact size

- Compact base unit width enables close to wall installations
- Low minimum height of 95mm with height adjustability to perfectly fit installation requirements
- Length options available for different applications for discrete bathroom finish



TRUST MULTIKWIK

Linnum offers different glass and stainless steel grates. The Soft floor grate is a two-in-one product: a smooth stainless steel finish or if flipped 180° it can be filled with tiles to match the surrounding tiled floor




Linnum linear channel drainage

FLOOR DRAINAGE / TRAPPED SHOWER GULLY – VINYL APPLICATION


HORIZONTAL SHOWER GULLY

SG50SHV | SG75SHV




VERTICAL SHOWER GULLY

SG50SVV | SG75SVV




HORIZONTAL SHOWER GULLY – ABS

SG50WHV | SG75WHV



VERTICAL SHOWER GULLY – ABS

SG50WVV | SG75WVV



PRODUCT CODE	SG50SHV	SG75SHV
COLOUR	Stainless Steel	Stainless Steel
WATER SEAL DEPTH (mm)	50	75
FLOOR TYPE	Vinyl	Vinyl
WEIGHT (KG)	0.90	1.10
DIMENSIONS (mm) A x B x C x D x E	100 x 161 x 216 x 110 x 55	125 x 101 x 216 x 110 x 55

PRODUCT CODE	SG50SVV	SG75SVV
COLOUR	Stainless Steel	Stainless Steel
WATER SEAL DEPTH (mm)	50	75
FLOOR TYPE	Vinyl	Vinyl
WEIGHT (KG)	0.90	1.10
DIMENSIONS (mm) A x B x C x D x E	110 x 161 x 216 x 110 x 55	134 x 161 x 216 x 110 x 55

PRODUCT CODE	SG50WHV	SG75WHV
COLOUR	White	White
WATER SEAL DEPTH (mm)	50	75
FLOOR TYPE	Vinyl	Vinyl
WEIGHT (KG)	0.90	1.10
DIMENSIONS (mm) A x B x C x D x E	100 x 161 x 216 x 110 x 55	125 x 161 x 216 x 110 x 55

PRODUCT CODE	SG50WVV	SG75WVV
COLOUR	White	White
WATER SEAL DEPTH (mm)	50	75
FLOOR TYPE	Vinyl	Vinyl
WEIGHT (KG)	0.90	1.10
DIMENSIONS (mm) A x B x C x D x E	110 x 161 x 216 x 110 x 55	134 x 161 x 216 x 110 x 55

REASONS TO TRUST MULTIKWIK

Trapped shower gullies for vinyl or tiled flooring


Whether the shower gully is required for vinyl or tiled flooring, Multikwik has a product available for either.

Vinyl

A ready assembled gully with a stainless steel or anti-slip ABS lid, seal depth of 50mm or 75mm and a choice between a horizontal or vertical outlet


Trapped Shower Gully vinyl

- Sheet flooring 1
- Concrete floor 2



Tile

Horizontal or vertical and 50mm or 75mm water seal depths gully bodies can be combined with one of four grate options – both are sold separately for maximum design flexibility.



Trapped Shower gully tiled

- 1 Floor tiles
- 2 Waterproof tile adhesive
- 3 Waterproofing membrane
- 4 Concrete floor

TRUST MULTIKWIK


Trapped shower gullies for vinyl flooring are usually installed in commercial applications. For more security our vinyl shower gullies have a unique and secure locking ring system – preventing theft and vandalism.



FLOOR DRAINAGE / TRAPPED SHOWER GULLY – TILED APPLICATION

DUAL GRATE & RISER


SG1T



- Riser can be cut between 36.5 – 130mm
- Requires shower gully body

SQUARE GRATE & RISER


SG2T



- Riser can be cut between 36.5 – 130mm
- Requires shower gully body

CLASSIC GRATE & RISER


SG3T



- Riser can be cut between 36.5 – 130mm
- Requires shower gully body

CLASSIC VANDAL RESISTANT GRATE & RISER


SG4T



- Riser can be cut between 36.5 – 130mm
- Requires shower gully body
- Screwed anti-vandal grate

VERTICAL SHOWER GULLY BODY


SG50VT | SG75VT



- Requires 'Grate & Riser' set

HORIZONTAL SHOWER GULLY BODY

SG50HT | SG75HT



- Requires 'Grate & Riser' set

PRODUCT CODE	SG1T
COLOUR	Stainless Steel
FLOOR TYPE	Tiled
WEIGHT (KG)	0.38
DIMENSIONS (mm) A x B	130 x 120

PRODUCT CODE	SG2T
COLOUR	Stainless Steel
FLOOR TYPE	Tiled
WEIGHT (KG)	0.41
DIMENSIONS (mm) A x B	121 x 121

PRODUCT CODE	SG3T
COLOUR	Stainless Steel
FLOOR TYPE	Tiled
WEIGHT (KG)	0.31
DIMENSIONS (mm) A x B	121 x 121

PRODUCT CODE	SG4T
COLOUR	Stainless Steel
FLOOR TYPE	Tiled
WEIGHT (KG)	0.31
DIMENSIONS (mm) A x B	121 x 121


PRODUCT CODE	SG50VT	SG75VT
COLOUR	White	White
WATER SEAL DEPTH (mm)	50	75
FLOOR TYPE	Tiled	Tiled
WEIGHT (KG)	0.52	0.72
DIMENSIONS (mm) A x B x C x D x E	110 x 120 x 216 x 110 x 55	134 x 120 x 216 x 110 x 55

PRODUCT CODE	SG50HT	SG75HT
COLOUR	White	White
WATER SEAL DEPTH (mm)	50	75
FLOOR TYPE	Tiled	Tiled
WEIGHT (KG)	0.47	0.67
DIMENSIONS (mm) A x B x C x D x E	100 x 120 x 216 x 110 x 55	125 x 120 x 216 x 110 x 55

FLOOR DRAINAGE / CONTINUOUS CHANNEL

END CAP Ø40MM
HORIZONTAL OUTLET


L29036



PRODUCT CODE	L29036
SIZE (mm)	40
COLOUR	Grey
FLOOR TYPE	Tiled
DIMENSIONS (mm) A x B x C	45 x 130 x 64

CONTINUOUS CHANNEL


L29142



PRODUCT CODE	L29142
SIZE (mm)	40
COLOUR	Stainless Steel
FLOOR TYPE	Tiled
WEIGHT (KG)	1.61
DIMENSIONS (mm) A x B x C	500 x 130 x 64

CONTINUOUS CHANNEL
– WITH OUTLET


L29143



PRODUCT CODE	L29143
SIZE (mm)	50
COLOUR	Stainless Steel
FLOOR TYPE	Tiled
WEIGHT (KG)	1.73
DIMENSIONS (mm) A x B x C	500 x 130 x 64

CONTINUOUS CHANNEL
– WITH MULTI OUTLET

L29158



PRODUCT CODE	L29158
SIZE (mm)	40/50
COLOUR	Stainless Steel
FLOOR TYPE	Tiled
WEIGHT (KG)	0.57
DIMENSIONS (mm) A x B x C	150 x 130 x 64

OUTLET ADAPTOR
LINNUM

TRL487 | TRL490



■ To BS EN 1566/5255 solvent waste

PRODUCT CODE	TRL487	TRL490
SIZE (mm)	Ø40 Compression	Ø50 Solvent
COLOUR	Grey	Grey

OUTLET ADAPTOR
CONT CHANNEL

TRL488 | TRL489



■ To BSEN 1566/5255 solvent waste

PRODUCT CODE	TRL488	TRL489
SIZE (mm)	Ø50 Solvent	Ø40 Solvent
COLOUR	Grey	Grey