

Heritage - Victorian Ogee Gutters & Fittings

Contents



Heritage Victorian Ogee gutters are available in 3 sizes and 2 gutter lengths, together with a complete range of fittings. The traditional Ogee gutter profile is ideal for period applications and restoration. A left-hand socketed system, which can be finished to replicate cast iron or with polyester powder coated using the raincote range on a BBA approved process.

Notes:


All dimensions are in mm unless shown otherwise.

Gutter sizes shown are nominal.

Victorian Ogee is a left hand socket system


T = Gutter Thickness (nominal +/- 1mm)

Gutters




Gutter Size	Gutter Length	A	B	C	T	Weight (KG)	Product Code
100 (4")	1830	110	54	47	4	2.6	OG1/31PPC
113 (4.5")	1830	121	60	47	4	4.0	OG2/25PPC
125 (5")	1830	135	68	47	4	4.0	OG3/173PPC
100 (4")	610	110	54	47	4	0.9	OG1/156PPC
113 (4.5")	610	121	60	47	4	1.4	OG2/157PPC
125 (5")	610	135	68	47	4	1.4	OG3/176PPC

Union Clips




Gutter Size	A	B	Product Code
100 (4")	98	47	OG1/41PPC
113 (4.5")	98	47	OG2/55PPC
125 (5")	98	47	OG3/184PPC

Stop-Ends



Gutter Size	Type	A	Product Code
100 (4")	Right Hand External	51	OG1/43PPC
113 (4.5")	Right Hand External	51	OG2/57PPC
125 (5")	Right Hand External	51	OG3/186PPC
100 (4")	Land Hand External	45	OG1/42PPC
113 (4.5")	Land Hand External	45	OG2/56PPC
125 (5")	Land Hand External	45	OG3/185PPC

Fascia Brackets




Gutter Size	A	B	C	D	Product Code
100 (4")	125	80	38	32	OG1/44PPC
113 (4.5")	137	85	38	38	OG2/58PPC
125 (5")	150	92	38	38	OG3/187PPC

Note: The products are available in plain mill finish or polyester powder coated using a BBA approved process. Product codes in the tables refer to the powder coated finish. For mill finish please remove the suffix PPC. Sundry items are not included as standard unless otherwise stated. Please order sundry items separately.

Left Hand Stop End Outlet - with Spigot


Note: designed to fit heritage socketed aluminium pipes. Add /f to code to fit flushjoint or guardian pipes



Gutter Size	Pipe Size	A	B	Product Code
100 (4")	63	172	64	OG1/40PPC
113 (4.5")	63	172	64	OG2/54PPC
125 (5")	63	172	64	OG3/183PPC
125 (5")	75	172	64	OG3/3/183PPC

Right Hand Stop End Outlet - with Socket


Note: designed to fit heritage socketed aluminium pipes. Add /f to code to fit flushjoint or guardian pipes



Gutter Size	Pipe Size	A	B	C	Product Code
100 (4")	63	126	64	47	OG1/39PPC
113 (4.5")	63	126	64	47	OG2/53PPC
125 (5")	63	126	64	47	OG3/182PPC
125 (5")	75	126	64	47	OG3/3/182PPC


Running Outlet - with Single Spigot/Socket

Note: designed to fit heritage socketed aluminium pipes. Add /f to code to fit flushjoint or guardian pipes




Gutter Size	Pipe Size	A	B	C	Product Code
100 (4")	63	194	121	47	OG1/38PPC
113 (4.5")	63	194	121	47	OG2/52PPC
125 (5")	63	194	121	47	OG3/181PPC
113 (4.5")	75	194	121	47	OG2/368PPC
125 (5")	75	194	121	47	OG3/3/181PPC
100 (4")	75 x 75	194	121	47	OG1/386PPC
113 (4.5")	75 x 75	194	121	47	OG2/387PPC
125 (5")	75 x 75	194	121	47	OG3/388PPC

90° Angles



Gutter Size	Type	A	B	C	Product Code
100 (4")	External	25	75	47	OG1/34PPC
113 (4.5")	External	25	75	47	OG2/48PPC
125 (5")	External	25	75	47	OG3/177PPC
100 (4")	Internal	133	184	47	OG1/35PPC
113 (4.5")	Internal	146	197	47	OG2/49PPC
125 (5")	Internal	159	210	47	OG3/178PPC

135° Angles



Gutter Size	Type	A	B	C	Product Code
100 (4")	External	25	75	47	OG1/36PPC
113 (4.5")	External	25	75	47	OG2/50PPC
125 (5")	External	25	75	47	OG3/179PPC
100 (4")	Internal	70	121	47	OG1/37PPC
113 (4.5")	Internal	75	126	47	OG2/51PPC
125 (5")	Internal	80	134	47	OG3/180PPC

Note: The products are available in plain mill finish or polyester powder coated using a BBA approved process. Product codes in the tables refer to the powder coated finish. For mill finish please remove the suffix PPC. Sundry items are not included as standard unless otherwise stated. Please order sundry items separately.

Heritage - Cast Aluminium Bracketry

Contents

Alumasc can provide traditional style Bracketry for all of its standard gutter profiles. Where building detailing dictates, Alumasc can provide bespoke Bracketry to meet individual project requirements.

Universal Brackets

For use with standard Fascia Bracket (purchased separately).

Universal Rafter Arm

Type	Angle	Product Code
Top Fix	26°	UNI632915
Top Fix	40°	UNI632916
Side Fix	26°	UNI632917
Side Fix	40°	UNI632918

Universal Drive in Rise & Fall

Gutter Size	Product Code
Universal	UNI632919

Note: HR6FB Does not work with the Universal Drive-in Rise & Fall Bracket and Universal Rafter Arm

Traditional 'Old' Style Gutter Brackets

Top Fix Rafter Arm - Half Round

Gutter Size	Product Code
100	HR1/RB/TFPPC
113	HR2/RB/TFPPC
125	HR3/RB/TFPPC

Top Fix Rafter Arm - Beaded Half Round/Deep Run

Gutter Size	Product Code
113	BHR5/RB/TFPPC
125	BHR6/RB/TFPPC
113 x 75	HR4/RB/TFPPC

Note: Supplied with 40° angle of pitch as standard. Other pitches catered for on request - please specify pitch angle required.

Top Fix Rafter Arm - Victorian Ogee

Gutter Size	Product Code
100	OG1/RB/TFPPC
113	OG2/RB/TFPPC
125	OG3/RB/TFPPC

Top Fix Rafter Arm - Moulded

Gutter Size	Product Code
100 x 75	MG2/RB/TFPPC
125 x 100	MG1/RB/TFPPC
150 x 100	MG3/RB/TFPPC

Note: Supplied with 40° angle of pitch as standard. Other pitches catered for on request - please specify pitch angle required.

Side Fix Rafter Arm - Half Round

Gutter Size	Product Code
100	HR1/RB/SFPPC
113	HR2/RB/SFPPC
125	HR3/RB/SFPPC

Side Fix Rafter Arm - Beaded Half Round/Deep Run

Gutter Size	Product Code
113	BHR5/RB/SFPPC
125	BHR6/RB/SFPPC
113 x 75	HR4/RB/SFPPC

Note: Supplied with 40° angle of pitch as standard. Other pitches catered for on request - please specify pitch angle required.

Side Fix Rafter Arm - Victorian Ogee

Gutter Size	Product Code
100	OG1/RB/SFPPC
113	OG2/RB/SFPPC
125	OG3/RB/SFPPC

Side Fix Rafter Arm - Moulded

Gutter Size	Product Code
100 x 75	MG2/RB/SFPPC
125 x 100	MG1/RB/SFPPC
150 x 100	MG3/RB/SFPPC


Note: Supplied with 40° angle of pitch as standard. Other pitches catered for on request - please specify pitch angle required.

Note: The products are available in plain mill finish or polyester powder coated using a BBA approved process. Product codes in the tables refer to the powder coated finish. For mill finish please remove the suffix PPC. Sundry items are not included as standard unless otherwise stated. Please order sundry items separately.

Heritage - Cast Aluminium Bracketry - Cont.


Contents

Rise & Fall - Half Round




Gutter Size	Product Code
100	HR1/R&F/ASSYPPC
113	HR2/R&F/ASSYPPC
125	HR3/R&F/ASSYPPC

Rise & Fall - Beaded Half Round/Deep Run




Gutter Size	Product Code
113	BHR5/R&F/ASSYPPC
125	BHR6/R&F/ASSYPPC
113 x 75	HR4/R&F/ASSYPPC

Rise & Fall - Victorian Ogee



Gutter Size	Product Code
100	OG1/R&F/ASSYPPC
113	OG2/R&F/ASSYPPC
125	OG3/R&F/ASSYPPC

Rise & Fall - Moulded



Gutter Size	Product Code
100 x 75	MG2/R&F/ASSYPPC
125 x 100	MG1/R&F/ASSYPPC
150 x 100	MG3/R&F/ASSYPPC



Bespoke Bracketry

Alumasc can design and manufacture a variety of Bracketry solution for gutters and pipes to create an integrated system solution. Such detailing can often be used to support fascia and soffit configurations.

Ornate holderbats and earbelts can be detailed to provide a unique, distinguished appearance to a rainwater stack.

Where standard fitting dimensions do not suit the project's requirements, Alumasc can fabricate its gutter and pipe Bracketry systems to accommodate building design.

Note: The products are available in plain mill finish or polyester powder coated using a BBA approved process. Product codes in the tables refer to the powder coated finish. For mill finish please remove the suffix PPC. Sundry items are not included as standard unless otherwise stated. Please order sundry items separately.