



lindab magestic | the king of galvanised gutters



10
YEAR
WARRANTY

Lindab**Magestic**™

The King of Galvanised Gutters

Available from Gutter Centre

Tel: 0330 2231731

Web: www.guttercentre.co.uk

Email: sales@guttercentre.co.uk



Elite Galvanisation

Strengthened magnesium zinc alloy coating, same trusted Lindab product design.


New Material Technology

The zinc coating composition used for Magestic is strengthened with 3% magnesium and 3.5% aluminium. Hot dipped zinc galvanised coatings have a porous structure, magnesium creates a compact structure with high corrosion inhibition and creates a stable barrier against corrosion factors.

Proven protection

Highest surface protection rating of any metallic coated steel

Salt spray tests demonstrate more than 20 times the corrosion resistance of hot dipped galvanisation (ISO 9227).



After 6 weeks salt spray test

Self-Healing

Improved cut edge protection

Galvanised coating migrate to repair red rust on cuts and scratches. Magnesium is more anodic than zinc making the sacrificial properties of the Magestic coating more active than a zinc galvanised coating. The self-healing effect remains on heavy gauge Magestic material above 5mm.



cut edge salt spray test - 5mm gauge steel



Reduced coastal corrosion

Ultimate resistance in aggressive environments

Natural exposure tests demonstrate more than 3 times the corrosion resistance of standard galvanisation in marine environments.

Magestic corrosion rate is not influenced by the chlorine content of the environment.

Exceptionally Environmentally Friendly


Reduced zinc resource consumption

Galvanised steel is already the most environmentally friendly material used in rainwater systems, Magestic has a reduced impact on zinc resources.


Adding a minor factor of magnesium to the zinc dramatically improves performance enabling reduced coating thickness.

Less than 25% zinc run off into soils compared to hot dipped galvanised steel.

Mass loss in alkaline environment (pH11.7-5% ammonia)



Runoff rate in C4 Maritime environment (g/m²/year)



Ages Beautifully

Natural weathering effect

Unpainted metal gutters naturally adjust to the installation environment

Magestic settles to an attractive dark grey metallic appearance within 3-5 years after installation

Initial Look



After 6 months



After 4 years



Half Round Gutters and Fittings

K07 70mm Flex-Fit Fascia Bracket*



Product	Size (mm)	Express
K07100MG	100	
K07125MG	125	
K07150MG	150	

KFL 200mm Rafter Bracket*



Product	Size (mm)	Express
KFL100MG	100	ⓄEx
KFL125MG	125	ⓄEx
KFL150MG	150	ⓄEx

K16 160mm Flex-Fit Rafter Bracket*



Product	Size (mm)	Express
K16100MG	100	
K16125MG	125	
K16150MG	150	

K21 210mm Flex-Fit Rafter Bracket*



Product	Size (mm)	Express
K21125MG	125	
K21150MG	150	

OSKR Straight Overflow Protector



Product	Size (mm)	Express
OSKR125MG	125	
OSKR150MG	150	

OSK Corner Overflow Protector



Product	Express
OSKMG	

STAG Stay Strap



Product	Express
STAGMG	

Downpipes and Fittings

SROR Downpipe 3m



Product	Size (mm)	Express
SROR375MG	75	ⓄEx
SROR387MG	87	ⓄEx
SROR3100MG	100	ⓄEx

SROR Downpipe 2.5m

Product	Size (mm)	Express
SROR2575MG	75	
SROR2587MG	87	
SROR25100MG	100	

SROR Downpipe 1m

Product	Size (mm)	Express
SROR175MG	75	
SROR187MG	87	
SROR1100MG	100	

BK 70° Conical Pipe Bend



Product	Size (mm)	Express
BK7075MG	75	ⓄEx
BK7087MG	87	ⓄEx
BK70100MG	100	ⓄEx

BM 70° Pipe Bend with Socket



Product	Size (mm)	Express
BM7075MG	75	ⓄEx
BM7087MG	87	ⓄEx
BM70100MG	100	ⓄEx

SOKN One-Piece Offset



Product	Size (mm)	Express
SOKN75MG	75	ⓄEx
SOKN87MG	87	ⓄEx
SOKN100MG	100	ⓄEx

MST Intermediate Pipe 1m



Product	Size (mm)	Express
MST175MG	75	ⓄEx
MST187MG	87	ⓄEx
MST1100MG	100	ⓄEx

MSTRA Rod Access Pipe 1m



Product	Size (mm)	Express
MSTRA75MG	75	
MSTRA87MG	87	
MSTRA100MG	100	

GROR Pipe Branch



Product	Size (mm)	Express
GROR75MG	75	ⓄEx
GROR87MG	87	ⓄEx
GROR100MG	100	ⓄEx

SRORM Pipe Connector



Product	Size (mm)	Express
SRORM75MG	75	ⓄEx
SRORM87MG	87	ⓄEx
SRORM100MG	100	ⓄEx

UTK Pipe Shoe



Product	Size (mm)	Express
UTK75MG	75	ⓄEx
UTK87MG	87	ⓄEx
UTK100MG	100	ⓄEx

BUTK Drain Shoe



Product	Size (mm)	Express
BUTK75MG	75	ⓄEx
BUTK87MG	87	ⓄEx
BUTK100MG	100	ⓄEx

VATKL Large Water Hopper



Product	Size (mm)	Express
VATKL75MG	75	ⓄEx
VATKL87MG	87	ⓄEx
VATKL100MG	100	ⓄEx

FUTK Adjustable Diverter



Product	Size (mm)	Express
FUTK75MG	75	ⓄEx
FUTK87MG	87	ⓄEx
FUTK100MG	100	ⓄEx

PRT Sliding Pipe



Product	Size (mm)	Express
PRT75MG	75	
PRT87MG	87	
PRT100MG	100	



CASE STUDY Gardens Sorted Barn Conversion

Landscape Design company, Gardens Sorted specialise in renovation and bespoke garden installations.

The client for this former farmyard and threshing barn conversion gardens by organic principles therefore the need for non-PVC galvanised rainwater goods was paramount. Chris Bligh, designer and installer at Gardens Sorted created an innovative installation using an unusual combination of products.

Read the full case study at www.lindab.co.uk



Downpipes and Fittings

SVHA Down Pipe Bracket



Product	Size (mm)	Express
SVHA75MG	75	
SVHA87MG	87	
SVHA100MG	100	

SV Pipe Holder (for Spike)



Product	Size (mm)	Express
SV75MG	75	
SV87MG	87	
SV100MG	100	

SST Spike (for Pipe Holder)



Product	Size (mm)	Express
SST125	125	
SST175	175	
SST250	250	
SST300	300	

Accessories

DVSIL Leaf Filter (Stainless Steel)



Product	Size (mm)	Express
DVSIL	100	

RT Drain Trap (HD Polythene)



Product	Size (mm)	Express
RTSM	100	

SLS Self Cleaning Leaf Trap (HD Polythene)



Product	Size (mm)	Express
SLS100SM	100	

MRT Drain Connector (HD Polythene)



Product	Express
MRTSM	

RWDK Rainwater Diverter Kit (HD Polythene)



Product	Size (mm)	Finish	Express
RWDKBK	75/87	Black	
RWDKWT	75/87	White	

LGB Leafline Gutter Brush 3m



Product	Size (mm)	Finish	Express
LGB100BK	100	Black	
LGB125BK	125	Black	
LGB150BK	150	Black	
LGB100OQ	100	Opaque	
LGB125OQ	125	Opaque	
LGB150OQ	150	Opaque	

GRIDB Gutter Leaf Guard 10m (HD Polythene) with 23 Clips



Product	Size (mm)	Finish (clips)	Express
GRIDB10BK	100-150	Black	
GRIDB10WT	100-150	White	

GRIDC Additional Clip for Gutter Leaf Guard (HD Polythene)

Product	Finish	Express
GRIDCBK	Black	
GRIDCWT	White	

FS Fixing Screws (Pack of 50)



Product	Size (mm)	Express
FS25	25x4.8	

KBO Bracket Bender



Product	Express
KBO	

*Marked items are manufactured in zinc galvanised steel tested to Magestic standard and covered by Magestic Warranty.

Product images are for visualisation of the product only and the texture/surface/colour and design may vary from those shown.

Right place, right time

Magestic is available through large and independent merchants throughout the UK.

Distributor network

We have a network of approved distributors across the UK which can help you with orders, quotes and arranging visits from our regional managers. Deliveries are made from our distribution centre in the Midlands to your local distributor or directly to a site of your choice. Care should be taken for health and safety of personnel when handling consignments.

Normal delivery time is 3-5 working days, items that are not held in stock in the UK will have an extended lead time. Orders placed are subject to VAT at the current rate, terms and conditions apply. Carriage charges may be applicable.



Use the **Where to Buy** tool on www.lindab.co.uk to find an approved distributor

Lindab Express

Enhanced delivery times are now available for standard stocked items.

Although we always process customer orders efficiently and we are proud of our ability to deliver consistently on time-in full we know that there are occasions when this is not quick enough. Our new Lindab Express delivery service can guarantee next day delivery for orders received and acknowledged by our sales office before 11am.

Lindab Express is only available for standard items that are held in stock at our UK distribution centre. The Lindab Express logo is displayed next to applicable items. Express service is subject to availability, additional carriage charges will apply. Next day delivery may not be available to all postcode areas.

