



DOWNPIPE - PLAIN ENDED

CODE	LENGTH	A
BS402	2.5m	110
BS403	3m	110
BS404	4m	110
BS405	6m	110
BS603	3m	160
BS604	4m	160
BS605	6m	160
B20300	3m	200
B20600	6m	200




DOWNPIPE - SINGLE SOCKET

CODE	LENGTH	A
BS413	2.5m	110
BS414	3m	110
BS415	4m	110
BS430	6m	110
BS623	3m	160
BS624	4m	160
BS625	6m	160
B20003	3m	200
B20006	6m	200



PIPE CONNECTOR - SINGLE SOCKET

CODE	SIZE	A	B
BS432	110	60	10
BR607	160	80	13




PIPE CONNECTOR - DOUBLE SOCKET

CODE	SIZE	A	B
BS406	110	51	2
BR627	160	80	4
B20021	200	94	5




SLIP COUPLER - DOUBLE SOCKET

CODE	SIZE	A
BS478	110	104
B20022	200	193




PIPE CONNECTOR TO ASBESTOS CEMENT GUTTER OUTLET

CODE	SIZE	A	B	C (INTERNAL)
BS433	110	55	200	118
BR628	160	190	145	178




PIPE BRACKET - SINGLE FIXING

CODE	SIZE	A	B
BS438	110	90	67
BR619	160	121	88





METAL PIPE BRACKET

CODE	SIZE	A	B	C
BR450	110	93	150	172
BR620	160	116	220	240




METAL PIPE BRACKET

CODE	SIZE	A	B	C
BR819	200	170	90	70




PIPE BRACKET - DOUBLE FIXING

CODE	SIZE	A	B	C
BS407	110	92	109-135	139-165




SINGLE SOCKET BEND TOP OFFSET - 112 1/2°

CODE	SIZE	A	B	C
BS408	110	64	63	63
BR630	160	99	67	79




**SINGLE SOLVENT WELD SOCKET BEND
BOTTOM OFFSET - 112 1/2°**

CODE	SIZE	A	B	C
BS409	110	124	65	61
BR631	160	161	85	76




DOUBLE SOCKET BEND - 92 1/2°

CODE	SIZE	A	B	C
BS480	110	101	50	168




DOUBLE SOCKET BEND - 135°

CODE	SIZE	A	B
BS482	110	34	50





SINGLE SOCKET BENDS

CODE	SIZE	ANGLE	A	B	C
BS420	110	92½°	156	100	50
BS421	110	112½°	125	63	63
BS422	110	135°	116	50	63
BR608	160	92½°	212	141	80
BR609	160	112½°	169	83	80
BR610	160	135°	128	59	80
B20870	200	92½°	475	390	102
B20450	200	135°	210	510	102




SINGLE SOCKET ACCESS BEND - 92½°

CODE	SIZE	A	B	C	D
BS436	110	142	94	53	103



ADJUSTABLE SINGLE SOCKET BEND - 0°-30°


CODE	SIZE	A	B	C	D
BS424	110	88	51	50	140



NB. Product made from polypropylene, do not solvent weld. Available in grey only.


DOWNPIPE SHOE - 112½°

CODE	SIZE	A	B	C
BS416	110	70	164	57
BR611	160	120	205	79
BR811	200	140	520	102





DOUBLE SOCKET ACCESS BRANCH - 92½°

CODE	SIZE	A	B	C	D	E
BS447	110	135	210	53	132	103





DOUBLE SOCKET BRANCH WITHOUT BOSSES

CODE	SIZE	ANGLE	A	B	C
BS417	110	92½°	156	228	67
BS448	110	104°	147	234	67
BS419	110	135°	145	253	58
BR615	160	92½°	223	312	80
BR616 (110 Branch)	160	135°	180	334	80
BR617	160	135°	205	334	80
B20110 (110 Branch)	200	135°	270	540	95
B20160 (160 Branch)	200	135°	300	540	95
B20200	200	135°	320	540	95




RAINWATER HEAD

CODE	SIZE	A	B	OVERALL WIDTH
BS411	110	216	198	315




ACCESS PIPE - SINGLE SOCKET

CODE	SIZE	A	B	C	D	E
BS410	110	75	213	53	135	103




ACCESS PIPE - SINGLE SOCKET

CODE	SIZE	A	B	C	D	E
BS629	160	100	230	78	155	103




DRAIN CONNECTOR 110mm SOIL PIPE TO 160mm DRAIN

CODE	SIZE	A	B
BS423	160 X 110	57	126



DRAIN CONNECTOR TO PVCu CAST IRON & SALT GLAZE SOCKET

CODE	SIZE	A	B
BS434	110	59	58
BR621	160	107	95



DRAIN CONNECTOR TO PVCu CAST IRON & SALT GLAZE SOCKET

CODE	SIZE	A	B
B20108	200	95	450

