



European Classification (Euroclass) A1 Fire Rated paving pedestal.
 Manufactured from steel, it provides a super strong support for paving slabs
 Large height-adjustable range available for every application.

- Perfect for balconies, terraces, podiums & roof decks
- Will not crack, split or warp
- Highly durable zinc nickel finish provides excellent corrosion resistance



Technical Specifications

Product Material	Mild Steel
Finish	Aztec Zinc Nickel corrosion resistant finish
Height Range	NCSL1/P 27-35mm NCSL5/P 95-165mm NCSL2/P 34-46mm NCSL6/P 163-300mm NCSL3/P 44-62mm NCSL7/P 296-458mm NCSL4/P 61-97mm
Compression	1000kg
Base Diameter	100 x 100mm
Spacer Tabs	4mm



PEDESTAL HEAD

Self-leveling tilting head with 4mm spacer tabs and an anti-screwing locking ring. The height adjustment is done manually by acting on the threaded rod or by means of a 4 mm Allen key.

UPPER THREADED SECTION

Internally threaded rigid tube, easily allows millimetre perfect adjustment within the given height range.

LOWER THREADED SECTION

Externally threaded rigid tube. Features locking ring, which ensures absolute stability.


WIDE SUPPORTING BASE

Totally flat supporting base evenly spreads the load, protecting membranes and surfaces. Holes enable pedestals to be fixed to surface where applicable.



System Height Ranges

Product Ref: NCSL
 NBS
 Product Reference: NCSL - Non combustible Self Leveling Paving Support Pedestal
 Material: Mild Steel
 Finish: Aztec / Zinc / Nickel
 corrosion resistant finish
 Size: 28mm to 458mm
 Compression: 1000kg





European Classification (Euroclass) A1 Fire Rated decking pedestal.
 Manufactured from steel, it provides a super strong support for decking or flooring joists
 Large height-adjustable range available for every application.

- Perfect for terraces, podiums, roof decks, balconies
- Will not crack, split or warp
- Highly durable zinc nickel finish provides excellent corrosion resistance



Technical Specifications

Product Material	Mild Steel
Finish	Aztec Zinc Nickel corrosion resistant finish
Height Range	NCSL1/D 28-35mm NCSL5/D 95-165mm NCSL2/D 34-46mm NCSL6/D 163-300mm NCSL3/D 44-62mm NCSL7/D 296-458mm NCSL4/D 61-97mm
Compression	1000kg
Base Diameter	100 x 100mm
Max joist width	60mm



PEDESTAL HEAD

Self Leveling pedestal head, Features holes in either side for simple fixing to joists. With locking ring.

UPPER THREADED SECTION

Externally threaded rigid tube, easily allows millimeter perfect adjustment within the given height range.

LOWER THREADED SECTION

Internally threaded rigid tube at base for enhanced stability attributes.


WIDE SUPPORTING BASE

Totally flat supporting base evenly spreads the load, protecting membranes and surfaces. Holes enable pedestals to be fixed to surface where applicable.



System Height Ranges

Product Ref: NCSL
 NBS
 Product Reference: NCSL - Non combustible Self Leveling Decking Support Pedestal
 Material: Mild Steel
 Finish: Aztec / Zinc / Nickel
 corrosion resistant finish
 Size: 28mm to 458mm
 Compression: 1000kg



For sales contact the Gutter Centre on Tel: 0330 2231731 or email:sales@guttercentre.co.uk

