



NEW

BLÜCHER®
Compact Drain

The flexible drain for easy solutions

BLÜCHER®

A WATTS Brand

BLÜCHER® Compact Drain

The flexible drain for easy solutions



FEATURES

- Vertical and horizontal outlet
- Ø75, Ø110, Ø100 mm outlet
- Height adjustment 30 mm
- Fully rotation of lower part
- Suitable for liquid membrane
- Channel height 50 mm
- Removable trap and filter
- Flow rate maximum 2.0 ltr / sec
- Grating, 33x33, with single serration
- Incorporated anchoring in end-plate
- Incorporated earthing in lower and upper part
- Frame width only 13 mm
- All around in-fill option
- Aesthetically pleasing frame

Bringing new concept to market - giving benefits to all stakeholders



RESELLER

- One item code for a complete product, ready to install
- All packed in one sturdy box, and ready to be shipped out
- Small product range



INSTALLER


- Multiple outlet directions and sizes, low height and thus covering many installation challenges
- One box, with all items included



END-USER

- Ease of discharge high volumes of water without overflow of the channel
- Non slip grating, round corners
- Separate filter from trap

	External width	External length
Channel size	197	197
	297	565
	397	397
	397	765
	497	497
	497	965



Compact Drain

Flooring:
Tile, Resin, Concrete

Grating options:
1

Sizes:
6

Height:
1

Lower parts:
1

Membrane:
1

Flow:
< 2.0 ltr / sec

Filter:
< 0.5 ltr

SELECT BY SIZE
ONLY

BLÜCHER®

A WATTS Brand

Specification Sheet

78C.202.075.24 COMPACT DRAIN 200X200

- Grating: Mesh grating 33/33mm
- Floor: concrete and tiled
- Frame: 197x197mm
- Outlet: Ø75/100/110mm, vertical/horizontal
- Material: Stainless steel & ABS

Product Codes

EAN: 5705499140224

Specification

Floor: Concrete / Tiled
Material: AISI 304
Material (EN): EN 1.4301
Maximum Height (mm): 206
Membrane Type: Liquid / No Membrane
Non-slip: R12
Number of Inlets: 0
Outlet Diameter (mm): 75 / 110
Outlet Direction: Horizontal / Vertical
Shape: Square
Size (mm): 200x200
Weight (kg): 3,08



Approvals



AUS - HACCP Region 1



EU - HACCP Region 4



BLÜCHER®

A **WATTS** Brand

© 2023 BLÜCHER

Specification Sheet

66CEG006-05.24 COMPACT DRAIN 300X600

- Grating: Mesh grating 33/33mm
- Floor: concrete and tiled
- Frame: 300x600mm
- Outlet: Ø75/100/110mm, vertical/horizontal
- Material: Stainless steel & ABS

Product Codes

EAN: 5705499140170

Specification

Floor: Concrete / Tiled
Material: AISI 304
Material (EN): EN 1.4301
Maximum Height (mm): 222
Membrane Type: Liquid / No Membrane
Minimum Height (mm): 192
Non-slip: R12
Number of Inlets: 0
Outlet Diameter (mm): 75 / 110
Outlet Direction: Horizontal / Vertical
Shape: Rectangular
Size (mm): 300x600
Weight (kg): 7,73



Approvals



AUS - HACCP Region 1



EU - HACCP Region 4



BLÜCHER®

66CFG004-05.24 COMPACT DRAIN 400X400

- Grating: Mesh grating 33/33mm
- Floor: concrete and tiled
- Frame: 400x400mm
- Outlet: Ø75/100/110mm, vertical/horizontal
- Material: Stainless steel & ABS

Product Codes

EAN: 5705499140187

Specification

Floor: Concrete / Tiled
Material: AISI 304
Material (EN): EN 1.4301
Maximum Height (mm): 222
Membrane Type: Liquid / No Membrane
Minimum Height (mm): 192
Non-slip: R12
Number of Inlets: 0
Outlet Diameter (mm): 75 / 110
Outlet Direction: Horizontal / Vertical
Shape: Square
Size (mm): 400x400
Weight (kg): 5,00



Approvals



AUS - HACCP Region 1



EU - HACCP Region 4



BLÜCHER®

A **WATTS** Brand

© 2023 BLÜCHER

Specification Sheet

66CFG008-05.24 COMPACT DRAIN 400X800



- Grating: Meshgrating 33/33mm
- Floor: concrete and tiled
- Frame: 400x800mm
- Outlet: Ø75/100/110mm, vertical/horizontal
- Material: Stainless steel & ABS

Product Codes

EAN: 5705499140194

Specification

Floor: Concrete / Tiled
Material: AISI 304
Material (EN): EN 1.4301
Maximum Height (mm): 222
Membrane Type: Liquid / No Membrane
Minimum Height (mm): 192
Non-slip: R12
Number of Inlets: 0
Outlet Diameter (mm): 75 / 110
Outlet Direction: Horizontal / Vertical
Shape: Rectangular
Size (mm): 400x800
Weight (kg): 12,00



Approvals



AUS - HACCP Region 1



EU - HACCP Region 4

BLÜCHER®

Specification Sheet

66CGG005-05.24 COMPACT DRAIN 500X500

- Grating: Mesh grating 33/33mm
- Floor: concrete and tiled
- Frame: 500x500mm
- Outlet: Ø75/100/110mm, vertical/horizontal
- Material: Stainless steel & ABS

Product Codes

EAN: 5705499140200

Specification

Floor: Concrete / Tiled
Material: AISI 304
Material (EN): EN 1.4301
Maximum Height (mm): 222
Membrane Type: Liquid / No Membrane
Minimum Height (mm): 192
Non-slip: R12
Number of Inlets: 0
Outlet Diameter (mm): 75 / 110
Outlet Direction: Horizontal / Vertical
Shape: Square
Size (mm): 500x500
Weight (kg): 10,03



Approvals



AUS - HACCP Region 1



EU - HACCP Region 4



BLÜCHER®

66CGG010-05.24 COMPACT DRAIN 500X1000



- Grating: Mesh grating 33/33mm
- Floor: concrete and tiled
- Frame: 500x1000mm
- Outlet: Ø75/100/110mm, vertical/horizontal
- Material: Stainless steel & ABS

Product Codes

EAN: 5705499140217

Specification

Floor: Concrete / Tiled
Material: AISI 304
Material (EN): EN 1.4301
Maximum Height (mm): 222
Membrane Type: Liquid / No Membrane
Minimum Height (mm): 192
Non-slip: R12
Number of Inlets: 0
Outlet Diameter (mm): 75 / 110
Outlet Direction: Horizontal / Vertical
Shape: Rectangular
Size (mm): 500x1000
Weight (kg): 17,38



Approvals



AUS - HACCP Region 1



EU - HACCP Region 4

BLÜCHER®