

AX SnapFix - Beaded Deep Run Gutters & Fittings

Contents




AX SnapFix Beaded Deep Run Gutters combine economy and efficiency where a high capacity gutter and extra performance is required. Available in one size and in standard 3m gutter lengths, together with a complete range of fittings. Polyester powder coated using the raincote range on a BBA approved process.

Notes:

All dimensions are in mm unless shown otherwise.
Gutter sizes shown are nominal.
T = Gutter Thickness (nominal)


Gutter Assemblies

Note: Unions supplied with assembly




Gutter Size	A	W	H	T	Product Code
125 x 100	3000	125	100	3	AXSDR12/3MAPPCC
125 x 100	1000	125	100	3	AXSDR12/1MAPPCC

Union Clip




Gutter Size	A	Product Code
125 x 100	76	AXSDR12/UCPPC

Brackets



Gutter Size	A	Product Code
125 x 100	30	AXSDR12/FBPPC

90° Angle Assemblies




Gutter Size	A	Product Code
125 x 100	100	AXSDR12/90APPC

Note: Unions supplied with assembly


Note: The products are available in plain mill finish or polyester powder coated using a BBA approved process. Product codes in the tables refer to the powder coated finish. For mill finish please remove the suffix PPC. Sundry items are not included as standard unless otherwise stated. Please order sundry items separately.

135° Angle Assemblies Note: Unions supplied with assembly



Gutter Size	A	Product Code
125 x 100	100	AXSDR12/135APPC

Running Outlet Assemblies Note: Unions supplied with assembly




Gutter Size	Pipe Size	A	Product Code
125 x 100	63	300	AXSDR12/RO25APPC
125 x 100	76	300	AXSDR12/RO30APPC
125 x 100	103	300	AXSDR12/RO40APPC
125 x 100	76 x 76	300	AXSDR12/SO33APPC
125 x 100	100 x 75	300	AXSDR12/SO43APPC
125 x 100	100 x 100	300	AXSDR12/SO44APPC

Note: A choice of three pipe systems is available. Product codes above denote that running outlets fit to Heritage socketed aluminium pipes.

ADD SUFFIX /F TO PRODUCT CODE TO FIT FLUSHJOINT OR GUARDIAN PIPES

Stop-End Assemblies Note: Unions supplied with assembly



Gutter Size	A	Product Code
125 x 100	50	AXSDR12/SEAPPC

Aluminium Rainwater Systems - Overview of finishes

Alumasc Aluminium Rainwater Systems are available in plain mill finish or in the Raincote range of BBA approved polyester powder coatings. The standard aluminium RAL range offers a choice of 26 colours, all with a 30% gloss finish unless otherwise stated.

Traditional & Contemporary Aluminium Rainwater Systems: In-House Powder Coatings

Alumasc's in-house powder coating plant gives both the control and the freedom to produce a range of colour finishes to a level not typically available in the construction industry. Utilising the technologies and procedures adopted for its automotive precision castings division, Alumasc benefits from high specification coating techniques that fulfil the rigors of testing prescribed by some of the world's leading vehicle producers. Finishes of this quality maintain their appearance even when subject to harsh geographical weather conditions.

The aluminium undergoes a series of pretreatments to provide the ideal prepared surface to receive an electrostatically applied polyester powder in the chosen colour. This is then 'baked' and bonded to the fitting in a carefully controlled oven; the complete process is achieved on a continuous line to obtain the best results. The performance of polyester powder coated rainwater systems greatly exceeds that of site painted systems.

Approvals & Quality Control

Polyester powder coating is in accordance with BS EN 12206-1:2004. This refers to the coating of aluminium and aluminium alloys for architectural purposes. In the case of rainwater systems it is accepted that such coating is both decorative and protective. Alumasc systems will certainly be finished to this standard, and will in most cases exceed it.

Along with independent auditing to the ISO 9001:2008 Quality Management Standard, Alumasc maintains BBA certification for the powder coating of its aluminium rainwater goods in respect of longevity of performance and colour fastness - British Board of Agrément Certificate No. 86/1671.

Choice of Colour

The standard aluminium Raincote range comprises 26 colours with additional colours with a BS or RAL number available to special order, subject to quantity and cost.

The colours reproduced on this page are for general guidance only.

Please contact Alumasc marketing team for further information on colour choice and samples.

01536 383810



* Also available in a textured finish



“We can match any BS or RAL colour of your choice”